

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

PRICE LIST
FEBRUARY SPECIALS (PRICES NET)
WAPATO DUCK POTATO 200 or more 1c ea.: 1000- \$9
(Regularly 100-\$1.75; 1000-\$12)
FANCY WILD RICE for Eating, \$1 lb.: 5 lbs. \$4.50
NOW REDUCED to 75c lb.: 5 lbs. \$3. Postpaid with
recipes. W. of Rockies add 8c lb. postage.

TERRELL'S
AQUATIC NURSERIES
CLYDE B. TERRELL, Proprietor
Oshkosh, Wisconsin, U. S. A.

Specialists in Plants, Shrubs, Trees and Vines That Attract All Kinds of Birds, Game, Muskrats and Fish. Water and Bog Plants. Trees and Shrubs for Shoreline Planting. Ornamental Water and Up-land Plants, Trees, Shrubs and Vines.
Write Us If You Do Not Find What You Want On Our List. Terrell's Hardy Northern Grow-Plants Succeed in North or South.

FIRST COME FIRST SERVED!! It is our rule to fill orders in turn as they are received and paid. To avoid disappointment, and get advantage of lowest prices, order now. Shipment made when material is in the best condition and at the proper time for planting in your locality, (See table "When to Plant" on opposite side.)

MORE FOOD—MORE GAME. You will usually get as many ducks, fish or game as you provide food for. Plant liberally and give your plantings every chance to prove successful, and accomplish your purpose.

REFERENCES. Oshkosh National Bank, Oshkosh, Wis.; First National Bank, Oshkosh, Wis.; Dun & Bradstreet's Mercantile Reference Book. (Ask your banker.)

SHIPMENTS. Second class Express rates, 25% lower than first class, are secured on planting material. If you have no express office, we can ship Parcel Post. If you wish shipments sent Parcel Post, or to Foreign Countries, forward ample money to cover transportation charges.
GUARANTEE. If any of our planting materials fail to produce what the purchaser considers a satisfactory growth after giving planting sufficient time to establish itself, we GUARANTEE to replace it at half price, or send an equal value at half price of other planting material selected from our current price list.

TERMS.
500 will be sold at 1,000 price; 50 at 100 price, 6 at 12 price, 5 at 10 price, less than 5 at twice 10 price each, except on special collections, or where otherwise stated. This applies whether sold at price per plant, per pound, ounce, bushel or peck.

Prices are F.O.B., Oshkosh, or other shipping points, unless otherwise stated. If Parcel Post shipment is desired, be sure to include with your remittance sufficient amount to pay charges, otherwise balance will be collected C. O. D.

Cash with Order or C.O.D. if desired. 2% Discount for Cash with Order. Prices subject to change without notice.

PRICES OF PLANTS DESCRIBED ON OTHER SIDE

The following planting material will be furnished when in the best condition, at the best time for planting in your locality. (See "When to Plant" in Table on other side.) Complete planting instructions sent with all orders.

1. **BULRUSHES** (*Scirpus*) Roots
- | | | | |
|---------------------------------|------|-----|--------|
| 1A. GREAT BULRUSH | 1000 | 100 | 10 |
| (<i>Scirpus occidentalis</i>) | \$30 | \$4 | \$1 |
| 1B. RIVER BULRUSH | | | |
| (<i>Scirpus fluvialis</i>) | \$40 | \$5 | \$1 |
| 1C. THREE-SQUARE | | | |
| (<i>Scirpus americanus</i>) | \$60 | \$8 | \$1.50 |
- Best bulrush for duck and muskrat food and cover.
2. **BUR REED** (*Sparganium eurycarpum*) Thrifty Roots or Plants, 1000—\$30; 300—\$10; 100—\$4; 12—\$1.50. Seed, per lb. \$1; 10 lbs. \$7; 25 lbs. \$15.
3. **CAT TAIL** (*Typha latifolia*) Roots or plants 1000—\$30; 100—\$4; 12—\$1.50; 3 for 50c. Seed \$1.50 lb.; 25 lbs. or more \$1 lb.
4. **CHUFA, NUT GRASS** (*Cyperus esculentus*) Tubers. Qt. \$1. Postpaid. Pk. \$4; Bu. \$12.
5. **COONTAIL** (*Ceratophyllum demersum*). Plants. June-July delivery Bu. \$3; Pk. \$1.50; 5 Bu. or more \$2.50 bu.
6. **DUCK'S MEAT** (A) Submerged Floating Variety (*Lemna trisulca*), or (B) Surface Floating Variety (*Spirodela polyrhiza*).

Delivery June 15 to Oct. 15. Bu. \$3; 5 Bu. or more \$2.50 bu.

7. **DUCK WHEAT, GOOSE BUCKWHEAT**, Seed 100 lbs. or more 9c lb.; 50 lbs. \$5; smaller lots 15c lb., 27c lb. postpaid.

8. **EEL GRASS** (*Zostera marina*) For salt water. Roots, Bu. \$20.; 5 Bu. or more \$15. Bu. Cannot furnish less than 1 bu.

9. **IRIS, SIBERIAN IRIS**, Blue. BLUE WATER IRIS, either variety, 100 roots \$8.00; 10 for \$1.25.

10. **MARSH MALLOW** (*Hibiscus Moscheutos*). Has red, white or pink flowers 4 to 7 inches across. Blooms Aug.-Sept. Seeds eaten by Mallards and other ducks. Grows on damp soil, marsh, or at edge of water. Strong roots for spring planting. 1000—\$50; 100—\$10; 10—\$5. Extra heavy stock, 100—\$20; 12—\$3.

11. **MUSK GRASS**, (*Chara* sp.) Plants with oogonia (seed spores) Bu.—\$4; 10 Bu. or more \$35. Bu.; Peck—\$1.50. Fall delivery.

12. **NAIAS; BUSHY POND WEED** (*Naias flexilis*) plants covered with mature seeds. Late summer or fall delivery. Bu. \$7; 5 bu. or more \$6 bu.

12A. **SOUTHERN NAIAS** (*Naias guadalupensis*) plants. Bu. \$7; 5 bu. \$30; 25 bu. \$125.

12B. **NUTTALL'S PONDWEED** (*Potamogeton epihydrus*) plants, 1000—\$60; 300—\$22; 100—\$7.50.

13. **PICKEREL PLANT** (*Pontederia cordata*). Plants 100—\$12.50; 12—\$1.75; 1000—\$100.00.

15. **REDHEAD GRASS** (*Potamogeton (Richardsonii)*) Roots, or plants 1000—\$45; 100—\$7; 12—\$1; 3 for 50c.

16. **REED GRASS**, (*Phragmites communis*) Roots. 1000—\$30; 300—\$10; 100—\$5.

17. **SAGO POND PLANT**. (*Potamogeton pectinatus*) Tubers or plants. 1000—\$18; 100—\$2.50; 25—\$1.

18. **SMARTWEED** (*Polygonum* sp.). To get best and quickest results, plant the plants during the spring. Strong vigorous plants.

	1000	100	10
18(A) SMARTWEED—(Assorted)	\$15	\$2	\$1
18(B) SMARTWEED (Annual)			
(<i>Polygonum hydropiper</i>)	\$15	\$2	\$1
18(C) WATER SMARTWEED (Perennial)			
(<i>Polygonum amphibium</i> var. <i>emersum</i>)	\$50	\$7	\$1.50

18(D) **SMARTWEED SEED**. Chiefly Pennsylvania Smartweed (*Polygonum pennsylvanicum*) and Lady's Thumb (*Polygonum Persicaria*) (Annual) Smartweed Seeds do not germinate well, so are only furnished on request. 25c per lb.; 10 lbs. or more 20c per lb.; 100 lbs.—\$19.

22. **WAMPEE or DUCK CORN** (*Peltandra virginica*). Strong plants, sure to grow, 1000—\$65; 100—\$7.50. Seed 10 lbs. \$6.50; small lots 75c per lb.

22 (B). **DEEP WATER DUCK POTATO** (*Sagittaria rigida*). A splendid attraction for Bluebills and other ducks that love the tender tubers this plant produces. Plant where water one to three feet deep in ponds, lakes or bays along streams and rivers. Strong, sure-growing young plants or tubers that produce the best results, 1000—\$18; 300—\$6.25; 100—\$2.25.

23. **WAPATO DUCK POTATO, MUSKRAT POTATO**, (*Sagittaria latifolia*). Tubers, 1000—\$12; 300—\$4.50; 100—\$1.75; 25—\$1.

24. **WATER CRESS (GENUINE)** (*S. nasturtium aquaticum*) Plants, 1000—\$25; 300 or more \$3 per 100; 100—\$3.50; 12—\$1. Seed \$7.50 lb.; 2 oz. \$1 postpaid.

WATER LILIES

25. **AMERICAN LOTUS WATER LILY** (*Nelumbo lutea*) Rare, beautiful plant. Creamy yellow flowers 8 or 10 inches across. Seeds eaten by ducks. Adapted to lakes, ponds, and sloughs, along rivers. Grown in tubs. Seed, 15 lbs. or more (enough to properly seed a lake or slough) Lotus seed ordinarily may lay dormant for years before germinating. Terrell's is treated to insure quick germination. Treated Seed \$1.50 per lb.; \$1.62 per lb.; Untreated Seed 80c per lb., postpaid. Started seedlings, strong and thrifty, 1000—\$100; 100—\$12.50; 10—\$1.75; 20c each. Strong Thrifty Tubers \$1.50 each; 5 for \$6.25.

BANANA WATER LILY Plants (Mexicana). Excellent duck food for South. Delivery now or later. Numerous attractive lemon-yellow flowers. 100—\$18; 1,000—\$125.

26. **WHITE WATER LILY** (*Castalia tuberosa*). White, sweet scented blossoms. Big bass lurk around lily pads. Tubers 100—\$6; 12—\$1. Extra large tubers with strong growing points. produce quick results, \$15 per 100; 12—\$2.50.

27. **YELLOW WATER LILY OR SPATTERDOCK** (*Nuphar advena*) Deer and moose food. Seeds

eaten by ducks. Yellow flowers. Good fish cover. Large Tubers with strong growing points 100—\$15; 12—\$2.50; 4 for \$1. Seed \$2 lb.

29 (a) **WATER SHIELD** (*Brazenia Schreberi*). Important food for Mallards, Black Ducks, Bluebills, Teal, Pintails and Wood Ducks. Produces Fish food and cover. Prefers 1 to 6 ft. acid or neutral water. Round floating leaves 2 in. across. Spread by runners and seed. Grows from Hudson Bay to Florida. Plants 1000—\$80; 100—\$12; 10—\$2.

29. **WATER MILFOIL** (*Myriophyllum* sp.) Plants, Bu. \$4; 10 Bu. or more \$3 Bu.

30. **WATER WEED, ELODEA** (*Philotria canadensis*) Plants, Bu. \$4; 5 Bu. or more \$3 Bu.

31. **WIDGEON GRASS** (*Ruppia* sp.) Plants with ripe seeds. Fall. \$7.50 bu.; 5 bu. \$35. Roots or plants for transplanting. Spring. Bu. \$10. Cannot furnish less than 1 bu.

32. **WILD CELERY** (*Vallisneria spiralis*) Winterbuds or plants. 3000 or more—\$13 per 1000; 1000—\$14; 300—\$4.50; 100—\$1.75; 25—\$1. Seed 100 lbs. or more 50c lb.; 10 lbs. or more 65c lb.; smaller lots at 75c per lb.

33. **WILD DUCK MILLLET** (GOOSE GRASS). (*Echinochloa crus-galli*). Seed 100 lbs.—\$10.50; 25 lbs.—\$3; smaller lots 15c lb.

34. **GIANT WILD RICE SEED**. Sure-growing. Larger grain, makes more feed. Requires less seed. 30 lbs. or 1 bu. \$15; 5 bu. \$14.50 bu.; peck or 7½ lbs. \$4.50; smaller lots 65c qt. or 77c qt. prepaid. Fall or Spring delivery. Plants—May delivery 1000—\$12; 100—\$1.85.

TREES AND MISCELLANEOUS

34. (A) **WILD RICE PREPARED FOR TABLE** Use. *Natures Health Food*. Different, delicious, nutty flavor. 15 servings to the pound. (A) Fancy parched grade. Price delivered, in U.S.A \$1 per lb.; 5 lbs. or more 90c lb.

35. **WILLOWS** (*Salix*). Keep trout streams shaded, cool — furnish shelter and insect food. Plant cuttings by shoving into soil. Fast-growing. Hardy.

GOLDEN WEeping WILLOW (*Niobe*)

	1000	100	10
(<i>S. vitellina pendula</i>) Cuttings	\$30	\$4	\$1

Assorted cuttings same price.
Golden bark TREES, 2 to 4 ft. \$130 \$19 \$2.50

We feel the above variety is the hardiest and best. Order early, because of heavy demand it may be sold out later.

Pussy WILLOW (*Discolor*) 2'-4' \$130 \$19 \$2.50

36. **WILD GRAPES** (*Vitis*). Make excellent food, nesting sites and protective cover for Wild Ducks, Quail, Pheasants, Prairie Chickens and Song Birds. Good for wine or jelly.

BETA GRAPE. Hardy, 1000 100 10
Vigorous Vines \$150 \$12 \$1.50

FROST GRAPE (*V. cordifolia*). Holds grapes in winter making bird food at time much needed. Very Hardy.

VINES, 1 yr. . . \$ 85 \$12 \$1.50
2 yr. . . \$150 \$20 \$3.00

AMERICAN MOUNTAIN ASH (*Sorbus americana*). Fast-growing ornamental shade tree, suitable northern states and mountains, cool, moist regions; any soil. Ruffed grouse and song birds eat the bright, red berries in fall and winter. Hardy 3 to 4 ft. trees, 3 for \$1.50; 10—\$4.50; 30—\$12; 100—\$35.

CHINESE ELM. Grows twice as fast as Am. Elm. Hardy throughout U. S. Any soil. Hardy 2 to 3 ft. trees, 3 for \$1; 10—\$2; 100—\$12; 1,000—\$70.

SWEET FLAG (*Acorus calamus*). Grows in swamps and streams, through Eastern U. S. Water loving plant growing in damp soil or shallow waters. Ornamental plant for borders. Excellent natural food for muskrats. Roots for spring and early summer planting 1000 for \$30; 100 for \$4. Seed \$1—lb.

SPARTINA OR CORD GRASS (*Spartina michauxiana*). Produces excellent cover for wild ducks and other waterfowl; also makes blinds; furnishes some food for ducks. Grows well in marshy meadows, salt marshes, along banks. Plant 1500 young plants or roots during spring or early summer. Strong, sure-growing roots or plants 1000—\$30; 300—\$11; 100—\$4.

BUTTON BUSH (*Cephalanthus occidentalis*). Very good duck food especially for Mallards, which eat the seeds. Has pretty, white, ball-like flowers in summer. Likes low moist grounds, swamps or the waterside.

	1000	100	10	1
	Ea.	Ea.	Ea.	Ea.
1'—1½'	15c	20c	30c	35c
1½'—2'	35c	40c	60c	75c

Information at a Glance About Plants for Attracting Birds, Game and Fish, Ornamental Water Plants.

COMPILED BY CLYDE B. TERRELL. NATURALIST & AQUATIC BIOLOGIST, OSHKOSH, WIS., U. S. A.

Plants for Various Conditions and Uses EXPLANATION Numbers refer to plants numbered in table. When number is preceded by *, plant is especially good for purpose named. It is understood that plants named below are suitable providing other conditions are favorable. (See Conditions, Uses and Where to Plant). USES Food Plants for Attracting Wild Ducks & Waterfowl. *2,4,5,*6A,*6B,7,8,10,*11,*12,13,*14,15,*17,*18,20,22,*23,*24,25,26,*27,*28,*29,30,*31,*32,*33,*34. Cover and Nesting Places for Waterfowl *1,*2,*3,7,10,13,*16,18,20,22,23,*25,*33,*34,*35. Food, Cover and Nesting Places for Quail, Pheasants and Grouse. *4,*7,*18,*33,35. Food Producing and Shelter Plants for Fish. *1,*5,*6A,*6B,8,*11,*12,13,*14,*15,*17,*24,*25,*26,*27,*28,*29,*30,31,*32,*34,*35. Aquarium Plants. *5,*6A,*6B,11,12,*15,17,*23,24,25,26,27,28,29,*30,*32. Muskrat Food and Cover. *3,13,22,*23,25,26,*27,32,33,*34. Food for Waterfowl Farms. *5,6A,6B,*7,*11,*12,*17,18,*24,*30,*33,34. Plants for Blinds. *2,*3,*16,33,*34,*35. Ornamental Plants. *2,*3,*9,10,10A,*13,18,*20,*21,*22,*23,*24,*25,*26,27,*28,33,*34,*35. Trees for Moist Soil *35B,*35C. CONDITIONS Alkali or Brackish Water. *2,*3,5,*6B,*11,12,14,16,*17,18,23,*28,*29,*31,*32,35. Salt Water. No. *8. Fresh Water With Outlet. Any fresh water plants if other conditions are OK. Fresh Water No Outlet. *1,*2,*3,5,*6A,*6B,*10,*10A,*11,12,*13,*14,*16,*17,20,*22,23,*25,26,*27,*28,*29,31. Small Shallow Streams, Springs, Artesian Wells, Open all Winter. *6A,6B, 10,*10A,17,*22,*23,*24,30,34. Water Subject to Considerable Waves or Current. (*8 salt water only)15,*17,*31,*32. Places Dry in Summer, Overflowed in Winter, Fall or Spring. *4,*7,*18,*20,23,25,*33 *35. Places Deeply Flooded in Spring or Summer. *6A,6B,11,*17,*18,*32. Marsh. *1,*2,*3,*10,*10A,*16,18,20,*22,*23,33,*34,35. Swamp *2,*3 18,20,*22,*23,34,35. Mud Flats. *2,*3,9A Water Iris,10,10A,13,*18,20,*22,*23.(25,27 when overflowed in spring),*33,*34,*35. Wet Soil. 2,3,7,9A Water Iris,*10,*10A,*16,*18,*20,*21,*22,*23,*33,(34 if flooded in spring),*35 Dry Soil.*4,*7,(*9 except Water Iris),*21,33,35. Sandy Soil.*1,3,*4,*5,*6A,*6B,*7,*8,9,10,*11,*12,*14,*16,*17,*23,*24,30,31,*32,34,*35. Rock Bottom.*5,*6A,*6B,11,30 Marl Bottom, *1,2,*3,5,6B,*11,*14,*17,23,26,*27,29,30,32. Shady Places. *5,6B,*7,17,*21,22,*23,*24,30,*35. High Altitudes. *2,3,*5,*6A,*6B,*7,*9,*10A,*11,*12,14,15,*17,18,*21,*22,23,*24,27,29,*30,32,33,34,*35.	THE PLANT—It's Value, Uses and Description	WHERE TO PLANT (In Fresh Water when not specified)	WHAT TO PLANT	WHEN TO PLANT		Quantity to Plant per Acre
	North U. S. Canada, etc.	South U. S. Mexico, etc.				
	1. BULRUSH (<i>Scirpus sp.</i>)—Cover and food for ducks. Blinds. 5 ft. high. Ornamental.	1 to 4 feet water—rich or sandy soil.	Roots	Apr. 1 to July 15	Apr. 1 to July 15	1000
	2. BUR REED (<i>Sparganium sp.</i>)—Large seeds, excellent duck food. Odd ornamental plant.	Marshy, muddy spots or 1 ft. water.	Plants	Apr 15 to Aug. 1	Apr 15 to Aug. 1	1000
	3. CAT-TAIL (<i>Typha latifolia</i>)—Attractive ornamental. Wildfowl cover. Blinds. Muskrat food.	Marshy, muddy or sandy spots. 1 ft. water.	Seed	Fall—Spring	Fall—Spring	10 Lbs.
	4. CHUFA; NUTGRASS (<i>Cyperus esculentus</i>).—Produces abundant nutlike tubers making good food for doves and quail, specially good for wildfowl if ground is flooded. Rapid grower and abundant food producer.	Marshy, muddy or sandy spots. 1 ft. water.	Roots or Plants	Apr. 1 to July 1	Apr. 1 to July 1	1500
	5. COONTAIL (<i>Ceratophyllum demersum</i>)— Submerged floating food plant for waterfowl and fish.	Dry land. For quail—doves, plow up tubers or let hogs root up. For ducks, land flooded in fall.	Tubers	Apr. 1 to June 15	Feb. 1 to July 1	1 Bu.
	6. DUCK'S MEAT; DUCKWEEDS (<i>Lemnaceae</i>)—Attracts both wild ducks and fish. Plants 1/8 to 1/4 inch wide, floating in masses. Entire plant eaten.	Still water. Any kind of bottom.	Plants	Apr. 1 to Nov. 15	April 1 to Nov. 15	10 to 15 Bu.
	7. DUCK WHEAT; GOOSE BUCKWHEAT (<i>Fagopyrum sp.</i>)—Wildfowl, Quail, Dove, Pheasant Food. Cover. Weed destroyer. Matures 11 wks.	Small, quiet ponds, ditches or bays. Any bottom. <i>Lemna trisulca</i> shallow water, <i>Spirodela</i> any depth.	(A) Plants <i>Lemna trisulca</i> (B) Plants <i>Spirodela</i>	June 1 to Oct. 15	June 1 to Nov. 1	10 to 15 Bu.
	8. EEL GRASS (<i>Zostera marina</i>)—Good duck and brant attraction for salt water.	Almost any drained soil. Moist cool climate.	Seed	June 15 to Oct. 15	June 15 to Oct. 15	5 Bu.
	9. IRIS sp. Attractive flowers—various colors Perennial. (Price list describes varieties).	Quiet, shallow salt water covered at low tide.	Plants or Roots	May 1 to July 1	Mar. 15 to Aug. 1	50 Lbs.
	10. MARSH MALLOW (<i>Hibiscus Moscheutos</i>)—Duck food. Ornamental. Magnificent pink flowers 6 in. across	See price list. Fine for borders or clumps.	Plants or Roots	Apr. 15 to July 15	Apr. 1 to July 15	3 Bu.
	10A. MARSH MARIGOLD (<i>Caltha palustris</i>)—Ornamental. 1 ft. high. Masses gold-colored flowers, blooming in early spring. Leaves cooked as greens.	Damp places; waters edge. In garden if water often.	Roots or Plants	Apr. 15 to Oct. 20	March 1 to Nov. 1	1/2 to 2 ft. apart.
	11. MUSKGRASS (<i>Chara sp.</i>)—Attracts wild ducks. Recommended for fish ponds. Rapid grower.	Damp meadows; waters edge. Gardens, if water often.	Plants	Apr. 15 to June 15	Apr. 15 to June 15	3 to 5 ft. Apart
	12. NAIAS; BUSHY PONDWEED (<i>Naias flexilis</i>).—Fine all around duck food and fish food and cover.	1 to 15 ft. fresh or brackish water having lime.	Plants with oogonia (Seed)	Apr. 15 to June 15	Apr. 15 to June 15	2 to 3 ft. apart
	13. PICKEREL PLANT (<i>Pontederia cordata</i>)—Duck food. A handsome ornamental plant. Purple flowers.	1 to 6 ft. water. Any except rocky soil.	Plants with seed	July 20 to Dec. 1	July 20 to Dec. 1	4 Bu.
	14. POND PLANT, FLOATING BROWN LEAF (<i>Potamogeton natans</i>).—Attracts Wild Ducks and fish.	1 to 3 ft. water. Fairly rich soil.	Roots or Plants	July 20 to Dec. 1	July 20 to Dec. 1	5 Bu.
	15. REDHEAD GRASS (<i>Potamogeton perfoliatus</i>)—Submerged. Wildfowl and fish food. Good fish cover	Fresh or brackish water 1 to 4 1/2 feet deep.	Seed	May 1 to Aug. 1	May 1 to Aug. 1	600
	16. REED GRASS; 'CANES' (<i>Phragmites communis</i>)—Waterfowl cover. Blinds. 8 ft. high. Ornamental	1 to 8 feet fresh water. Fairly rich bottom.	Roots	Aug. 15 to Nov. 1	Aug. 15 to Nov. 1	40 Lbs.
	17. SAGO POND PLANT (<i>P. pectinatus</i>)—Fine duck food. Ideal fish food and cover. Submerged.	1 to 10 ft. hard, fresh, brackish or alkali water.	Tubers or Plants	Apr. 1 to July 15	Apr. 1 to July 15	1200
	18. SMARTWEED (<i>Polygonum pennsylvanicum</i>)—Good wild duck, quail and ruffed grouse food.	Land along shores, wet soil, mud flats.	Seed	Apr. 1 to July 1	Apr. 1 to July 1	1200
	20. THALIA (<i>Thalia sp.</i>)—Good Mallard attraction. Ornamental. Very showy. 6 to 10 ft. high. Cannalike leaves. Purple flowers.	Damp, muddy places and in water up to 18 inches deep. Rich soil.	Plants or Roots	Apr. 1 to July 1	Apr. 1 to July 1	40 Lbs.
	21. VIOLET, BLUE WISCONSIN (<i>Viola papilionacea</i>)—Favorite wild flower. Deep blue.	Fairly rich moist soil.	Plants	Apr. 10 to June 15	Feb. 15 to June 15	3 ft. apart.
	22. WAMPEE; WATER ARUM (<i>Peltandra virginica</i>)—Attracts, Mallards, Wood Ducks. Ornamental.	Marsh, Swamp. Up to 18 in. water.	Plants	Apr. 10 to June 25	Apr. 10 to June 25	9 inches apart.
	23. WAPATO DUCK POTATO; (<i>Sagittaria latifolia</i>)—Attracts all waterfowl. Ornamental. Arrow-shaped leaves; white and yellow flowers. Grows rapidly.	Shallow waters 1 inch to 18 inches deep; marshy, muddy spots.	Tubers or Plants	May 1 to July 1	Apr. 15 to July 1	2 ft. apart.
	24. WATER CRESS (<i>Sisymbrium nasturtium-aquaticum</i>)—Duck food. Green all winter in unfrozen streams. Use in salads and sandwiches; like peppers or radishes; or a garnish. Ornamental.	Shallow streams, springs, fountains, 1 to 8 inches water remaining open in winter.	Plants	Mar. 15 to July 15	Feb. 15 to Aug. 1	1000 to 1500
	25, 26, 27, 28, WATER LILLIES (<i>Nymphaeaceae</i>)—Attract waterfowl. Provide food and shelter for fish. Ornamental. Handsome flowers. (See price list for varieties available and descriptions).	Tubers or plants, 1 to 4 ft. quiet, warm water.	Plants	Mar. 1 to Nov. 15	All Year	1000
	29. WATER MILFOIL (<i>Myriophyllum sp.</i>)—Excellent for fish ponds—aquariums. Attracts waterfowl	Seeds—Shallow water or start in tubs.	Seed	Apr. 15 to Aug. 1	Mar. 1 to Aug. 15	3 Lbs.
	30. WATER WEED, ELODEA (<i>Philotria canadensis</i>)—For fish ponds, aquariums, duck farms. Rapid grower	1 to 4 ft. quiet water. Fairly rich soil.	Tubers-Plants All varieties	Apr. 1 to July 15	Apr. 1 to July 15	750
	31. WIDGEON GRASS (<i>Ruppia sp.</i>)—Submerged wild duck food for alkali or brackish water.	Quiet ponds streams or bays 1 to 8 ft. deep.	Lotus Seed	Mar. 1 to June 15	Oct. 1 to July 1	15 Lbs.
	32. WILD CELERY; TAPE GRASS; (<i>Vallisneria spiralis</i>)—Unfailing attraction for Canvasbacks, Redheads Blue-bills. Best fishing where it grows, provides food shelter; keeps water fresh and clear insuring more fish reaching maturity. Submerged.	1 to 5 ft. brackish or saline water.	N. advena seed	Aug. & Sept.	Aug. & Sept.	10 Qts.
	33. WILD DUCK MILLET; GOOSE GRASS (<i>Echinochloa crus-galli</i>)—Food and cover for domesticated and wild waterfowl, quail, etc. Blinds. Matures 3 mo.	1 1/2 to 12 feet hard, fresh, or slightly brackish water. Sand, loam or mud soil. Soft rich soil and 2 to 7 feet water best.	Plants	May 15 to July 1	May 15 to July 10	7 Bu.
	34. WILD RICE; DUCK OATS. (<i>Zizania aquatica</i> and <i>Z. palustris</i>)—Exceptionally fine attraction for Mallards, Teal Pintails Black Ducks, Geese, Fish. Attractive clumps and backgrounds for water gardens.	Moist soil—not under water in summer. Mud flats.	Plants	June 1 to Sept. 1	June 1 to Nov. 20	10 Bu.
	35. WILLOW (<i>Salix sp.</i>) Trees or shrubs adapted to wet soil for cover, blinds, shade. Rapid grower Shade and keep trout streams cool.	Partly sheltered, sunny, bay or pond with outlet. 1/2 to 3 ft. water, not salty to taste, or over 6 ft. higher in high than in low periods. Hard water best.	Roots or Plants	May 1 to July 1	May 1 to July 1	5 Bu.
		Almost any soil containing some moisture.	Winter buds (Tubers) or Plants	Mar. 20 to July 20	Mar. 20 to Aug. 1	1200
			Seed	Sept. 15 to Nov. 1	Sept. 15 to Nov. 1	30 Lbs.
			Seed	Apr. 1 to July 10	Mar. 1 to Aug. 1	20 Lbs.
			Seed	Sept.15 to June 15 When waters	Sept.15 to June 15 not frozen.	60 Lbs.
			Plants	May 15 to June 20	May 15 to June 20	5,000
			Cuttings	Apr. 1 to July 1	Mar. 1 to July 1	2 to 3 ft. apart